

DELECTA



SM

La San Marco



Design

The new two-group espresso coffee machine developed by La San Marco was designed to guarantee speed, ease of use and simple maintenance.

It features up-to-date technology, innovative design and professional performance with heat exchangers in the boiler, one hot water wand and two steam wands.

Backlit keypads allow for a simple and intuitive programming and use of the machine.

Each brewing group keypad is equipped with four coffee programmable coffee doses (single and double shot, both short and regular) as well as a start/stop button for manual control.

The keypad of the hot water wand is equipped with two programmable water doses as well as a start/stop button for manual control.

Two convenient removable stainless steel risers, one for each group, allow for the

use of either small cups (espresso) or tall cups (take away), in the range 8 to 14 cm. Being a full sized 2-group machine, a central hot water wand and two side steam wands complete the equipment. The large surface on the top works as a fenced cup warmer.

By using DELECTA, anyone can serve excellent espresso coffees with perfect crema, precise volumetric dosing and thermal stability, combined with powerful steam delivery for cappuccino and other milk based beverages.

The result is a very affordable model with attractive aesthetics and performance-oriented technological features, a further example of La San Marco equipment that combines Italian design and professional functionality at their best.

Technical features

- Internal stainless steel volumetric pump.
- Stainless steel boiler with 10 litres capacity.
- Automatic purging cycles.
- Programmable electronic preinfusion.
- Brewing cycles counters.
- Stainless steel body with anti-fingerprint treatment.
- Cup height variable in the range 8-14 cm.
- Autofill electronic system with missing water alarm.
- Keypad with 4 programmable doses for each brewing group.
- 1 start/stop manual button for each brewing group.
- Keypad with 2 programmable doses for hot water dispenser.
- 1 start/stop manual button for hot water dispenser.
- 2 manual steam wands.



Brewing groups	2	Width (mm)	720
Steam wands	2	Depth (mm)	470
Hot water wand	1	Height (mm)	507
Boiler capacity (litres)	10	Heating element power (W) single phase / threephase	3000/3500
Weight (kg)	48	Pump power (W)	100

SM

La San Marco



La San Marco spa - GRADISCA D'ISONZO (GO) - ITALY
Ph. (+39) 0481 967111 - info@lasanmarco.com

